

Vancouver Diagnostic Services Perinatal Testing Services

Father's Rh Typing (When Maternal Rh is Negative) BC_PN-02

TEST DESCRIPTION

Testing for ABO and RhD blood group is performed on father's specimen when the mother is Rh Negative to determine if Rh Immune Globulin (RhIG) administration is required.

SPECIMEN AND REQUISITION REQUIREMENTS

Specimen(s)

- One (1) 6-7 ml EDTA (lavender) tube, mixed thoroughly by gentle agitation.
- Label specimen with the required minimum information: patient's last name, first name, PHN or unique identifier and date of collection.

Complete Requisition (must include)

- · Maternal Information: mother's last name, first name, date of birth and PHN or unique identifier
- Expected date of delivery (EDD)
- · Patient's (father) last name, first name, date of birth and PHN or unique identifier
- · Clinic and Health Care Provider name, complete address, phone and fax number
- · Phlebotomist ID information
- Date of collection

Requisition(s)

Perinatal Screen Request Requisition BC

PRE-SHIPPING STORAGE

Recommended Refrigeration 1-10°C.

SHIPPING INSTRUCTIONS

Submit samples as soon as possible after collection.

Shipping

- Ship in a container that will maintain temperature at ≥1°C.
- Select shipping method for container to arrive at testing site within 48 hours.

Note: Protect from freezing.

SEND TO

Canadian Blood Services
BC & Yukon Centre
Diagnostic Services Laboratory
4750 Oak Street
Vancouver, BC V6H 2N9

Tel: 604-707-3434 Fax: 604-874-6582